

**Notice of Allowability**

Application No.

09/705,957

Examiner

Elizabeth Keane

Applicant(s)

MIYAZAKI ET AL.

Art Unit

2882

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendments filed 26 March 2004.
2. ☒ The allowed claim(s) is/are 23-25,47,49-51 and 53.
3. ☒ The drawings filed on 06 October 2003 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date 2/18/04
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_.

### **DETAILED ACTION**

Receipt is acknowledged of the amendments filled 26 March 2004.

#### ***Allowable Subject Matter***

Claims 23-25,47,49-51 and 53 are allowed over the prior art of record.

The following is an examiner's statement of reasons for allowance:

Re claims 23-25 and 49-51: The best prior art of record teaches an image formation apparatus comprising: a first substrate having a plurality of wires, a second substrate having image formation material, and a plurality of spacers placed between the first and second substrates, wherein each spacer is placed on a corresponding one of the plurality of wires. However, the prior art fails to teach or fairly suggest placing the spacers between 5 and 50 neighboring wires as claimed in claims 23 and 49. Claims 24,25,50 and 51 are allowable by virtue of their dependency.

Re claims 47 and 53: The best prior art of record teaches an image formation apparatus comprising: a first substrate having a plurality of wires, a second substrate having image formation material, and a plurality of spacers placed between the first and second substrates. However, the prior art fails to teach or fairly suggest each row directional wire having a width larger than that of a column directional wire and a ratio (S/A) of a total cross-sectional area S of the plurality of spacers to an internal area A of the enclosure on a cross section horizontal to one of the first and second substrates, is within a range of 0.018% to 7.8% as claimed in claims 47 and 53.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Elizabeth Keaney whose telephone number is (571)272-2489. The examiner can normally be reached on Monday-Thursday 5:30-4.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ed Glick can be reached on (571)272-2490. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
emk

  
EDWARD J. GLICK  
EXAMINING PATENT EXAMINER